

DVT DD SERIES

DEEP FREEZER (UP TO -50°C)



FOR TESTING BEHAVIOUR OF PRODUCTS IN COLD ENVIRONMENT

DVT DD SERIES

TECHNICAL SPECIFICATIONS

For testing all kinds of products in cold environment.

USED IN

- Shoes.
- Artificial leather manufacturing.
- Plastics.
- Rubber.
- Car industry and laboratories.

OPTIONAL ADDITIONS

- Possibility of adapting it to various test equipment.
- Customized vertical or horizontal structure depending on the choice of the customer.
- Angular or cylindrical models available.
- Internal lighting.
- PLC-controlled model.
- Special model able to conduct tests from -20 to 10 °C.
- Monobloque lid.
- Front side lid.

TECHNICAL INFORMATION

- Possibility of conducting tests in cold environment up to - 50 °C.
- Volumes of 100, 200, 300, 400, 500 litres.
- Structure complying with standards and user-friendliness.
- Temperature control with digital thermostat.
- Safety thermostat.
- Possibility of disabling the refrigerator to conduct tests in room temperature.
- Glass lid on top.

RELEVANT STANDARDS

- TS EN 50086
- TS EN 1604

APPROXIMATE DIMENSIONS AND WEIGHT (DVT DD -20)

	<u>Inside</u>	<u>Outside</u>
• Width :	80 cm	101 cm
• Depth :	50 cm	87 cm
• Height :	35 cm	85 cm
• Weight :	133 kg	



Note: DVT DEVOTRANS reserves the right to modify the equipment described in the brochure. The model in the picture may not be the latest one.

