


DVT DKC P

**PNEUMATIC CORRUGATED PAPERBOARD
SAMPLE CUTTER**



**USED TO OBTAIN FOUR CORNERED SAMPLES FROM
CORRUGATED CARDBOARD**

DVT DKC P

TECHNICAL SPECIFICATIONS

Used to obtain four cornered samples from corrugated cardboard.

These samples are used in ECT and PAT experiments of corrugated cardboard.

USED IN

- Corrugated cardboard manufacturers

APPROX. DIMENSIONS & WEIGHT

- Width : 75 cm.
- Depth : 33 cm.
- Height : 13 cm.
- Weight : 19 kg.

RELEVANT STANDARDS

- ISO 3037
- BS 6036
- DIN 53149
- ASTM D 2808-69

TECHNICAL INFORMATION

- Easy, pneumatic use.
- Used to prepare samples for vertical sample compression and PAT test.
- Cutting dimension is 25 x 100 mm.
- Maximum sample cutting thickness: 8 mm.
- It is enough to plug into a 6 bar air outlet, in your laboratory.
- Equipped with a protective cover.

ACCESSORIES

- Sample cutting blade.
- Tweezers.
- Air supply hose.
- Allen key.

OPTIONAL ADDITIONS

- Upon request, custom sized specimen cutting blades are given.

Note: DVT DEVOTRANS reserves the right to modify the equipment described in the brochure. The model in the picture may not be the latest one.

