

DVT VK EJ

LEAK TESTER FOR INJECTORS



USED TO CONDUCT LEAK TESTS ON
INJECTORS

DVT VK EJ

TECHNICAL SPECIFICATIONS

Designed to conduct leak tests on injectors.

It is used to test injectors under vacuum to detect air leaks.

USED IN

- Manufacturing of injectors.
- Large-scale buyers of injectors.
- Manufacturing of medical products.

APPROXIMATE DIMENSIONS AND WEIGHT

- Width: 40 cm.
- Depth: 39 cm.
- Height: 46 cm.
- Weight: 14 kg.

RELEVANT STANDARD

- TS EN ISO 7886-1

TECHNICAL INFORMATION

- Operating voltage: 220 V 50 Hz.
- Vacuum display.
- Vacuum adjustment valve.
- Vacuum fixing button.
- Water hose.
- Air hose.
- Water receptacle bottle.
- Possibility of testing injectors of different sizes (1 ml to 50 ml).
- Body coated with electrostatic powder paint.
- Robust and reliable structure requiring no specific maintenance.

ACCESSORIES

- Injector-holding device.
- Injector-securing clamp.

OPTIONAL FEATURES

- Digital display.
- Software.

Note: DVT DEVOTRANS reserves the right to modify the equipment described in the brochure. The model in the picture may not be the latest one.

